




CLASSIC RANGE

WINDOWS & DOORS

PRODUCT GUIDE & PRICE LIST



manufacturers of WINDOWS & DOORS to the shed & garden leisure industry

Tel: 01709 584151
Mob: 07848 571877

email: sales@woodcraftrepetitions.co.uk


www.windows4sheds.co.uk

CLASSIC Range

TOUGHENED OR LAMINATE GLASS RECOMMENDED FOR THIS RANGE.

Doors are 550 mm wide - 610 mm are also available for a percentage extra (please see price list).

*** size and glass dimensions are a guide only and no responsibility is accepted.




1 Pane - Classic French Door (Pair)	
Code	WFC1
Width	550 mm per door
Height	1780 mm
Depth	34 mm
Lock Rebate	Standard lock rebate is 105 mm x 16 mm x 65 mm
Weight	14.4 kg
Glass	393 x 1563 mm Qty = 2




1 Pane - Classic Window (Fixed)	
Code	WCF1F
Width	460 mm
Height	1630 mm
Depth	34 mm
Weight	3.5 kg
Glass	392 x 1683 mm - Qty = 1

This window is ideal for use with WFC1 doors




1 Pane - Classic French Door (Single)	
Code	WFC1S
Width	760 mm
Height	1780 mm
Depth	34 mm
Lock Rebate	Standard lock rebate is 105 mm x 16 mm x 65 mm
Weight	8.7 kg
Glass	604 x 1563 mm - Qty = 1



Classic Window 1 Pane (Fixed)	
Code	WCF1S
Width	760 mm
Height	1630 mm
Depth	34 mm
Weight	4.1 kg
Glass	604 x 1563 mm - Qty = 1


This window is ideal for use with WFC1S doors



1 Pane - Classic Door (Pair)	
Code	SQ2
Width	550 mm per door
Height	1780 mm
Depth	34 mm
Lock Rebate	Standard lock rebate is 105 mm x 16 mm x 65 mm
Weight	15.6 kg
Glass	402 x 933 mm - Qty = 2

Solid infills recommended for the base of this door.

** VOIDS not beaded.*



2 Pane - Classic Window (Fixed)	
Code	SQ2FW
Width	468 mm
Height	1630 mm
Depth	34 mm
Weight	2.2 kg
Glass	402 x 933 mm - Qty = 1 402 x 559 mm - Qty = 1

This window is ideal for use with SQ2 doors and can be used as a front or side window


WEIGHTS APPROXIMATE DUE TO TIMBER DENSITY | GLASS NOT SUPPLIED | DOORS FULLY BEADED

CLASSIC Range

TOUGHENED OR LAMINATE GLASS RECOMMENDED FOR THIS RANGE

Doors are 550 mm wide - 610 mm are also available for a percentage extra (please see price list).


*** size and glass dimensions are a guide only and no responsibility is accepted.



1 Pane - Classic Door (Single)	
Code	SQ2S
Width	760 mm
Height	1780 mm
Depth	34 mm
Lock Rebate	Standard lock rebate is 105 mm x 16 mm x 65 mm
Weight	9.1 kg
Glass	↔ 610 x 933 mm - Qty = 1

Solid infills recommended for the base of this door.

* VOID not beaded.





These 2 windows are ideal for use with SQ3 & SQ3P doors

1 Pane - Classic Window (Fixed)	
Code	WCF8
Width	468 mm
Height	1314 mm
Depth	34 mm
Weight	2.3 kg
Glass	↔ 402 x 1248 mm - Qty = 1


1 Pane - Classic Window (Sash)	
Code	WCS8
Width	507 mm
Height	1350 mm
Depth	44 mm
Weight	4.9 kg
Glass	↔ 402 x 1248 mm - Qty = 1

Solid infills recommended for the base of this door. * VOIDS not beaded.



1 Pane - Classic Door (Pair)	
Code	SQ3
Width	550 mm per door
Height	1780 mm
Depth	34 mm
Lock Rebate	Standard lock rebate is 105 mm x 16 mm x 65 mm
Weight	15.6 kg
Glass	↔ 402 x 1248 mm - Qty = 2


1 Pane - Classic Door (Pair)	
Code	SQ3P
Width	550 mm per door
Height	1780 mm
Depth	34 mm
Lock Rebate	Standard lock rebate is 105 mm x 16 mm x 65 mm
Weight	16.6 kg
Glass	↔ 402 x 1248 mm - Qty = 2



1 Pane - Classic Door (Single)	
Code	SQ3S
Width	760 mm
Height	1780 mm
Depth	34 mm
Lock Rebate	Standard lock rebate is 105 mm x 16 mm x 65 mm
Weight	9.1 kg
Glass	↔ 610 x 1248 mm - Qty = 1

Solid infills recommended for the base of this door.

* VOID not beaded.



1 Pane - Classic Door - Panel (Single)	
Code	SQ3PS
Width	760 mm
Height	1780 mm
Depth	34 mm
Lock Rebate	Standard lock rebate is 105 mm x 16 mm x 65 mm
Weight	9.7 kg
Glass	↔ 610 x 1248 mm - Qty = 1

Solid infills recommended for the base of this door.


* VOID not beaded.

WEIGHTS APPROXIMATE DUE TO TIMBER DENSITY | GLASS NOT SUPPLIED | DOORS FULLY BEADED


CLASSIC Range

TOUGHENED OR LAMINATE GLASS RECOMMENDED FOR THIS RANGE


*** size and glass dimensions are a guide only and no responsibility is accepted.




Classic Window 1 Pane (Fixed)	
Code	WCF4
Width	468 mm
Height	684 mm
Beaded	Yes
Glass →	401 x 617 mm - Qty = 1




Classic Window 1 Pane (Sash)	
Code	WCS4
Width	507 mm
Height	725 mm
Beaded	Yes
Glass →	401 x 617 mm - Qty = 1



Classic Window 1 Pane (Fixed)	
Code	WCFL6
Width	678 mm
Height	684 mm
Beaded	Yes
Glass →	610 x 617 mm - Qty = 1




Classic Window 1 Pane (Sash)	
Code	WCSL6
Width	715 mm
Height	725 mm
Beaded	Yes
Glass →	610 x 617 mm - Qty = 1




Classic Window 1 Pane (Fixed)	
Code	WCF6
Width	468 mm
Height	999 mm
Beaded	Yes
Glass →	402 x 933 mm - Qty = 1

This window is ideal for use with SQ2S doors and can be used as a front or side window




Classic Window 1 Pane (Sash)	
Code	WCS6
Width	507 mm
Height	1040 mm
Beaded	Yes
Glass →	402 x 933 mm - Qty = 1

This window is ideal for use with SQ2S doors and can be used as a front or side window




Classic Window 1 Pane (Fixed)	
Code	WCF9
Width	678 mm
Height	999 mm
Beaded	Yes
Glass →	610 x 933 mm - Qty = 1

This window is ideal for use with SQ2S doors and can be used as a front or side window



Classic Window 1 Pane (Sash)	
Code	WCS9
Width	715 mm
Height	1040 mm
Beaded	Yes
Glass →	610 x 933 mm - Qty = 1

This window is ideal for use with SQ2S doors and can be used as a front or side window



Classic Window 1 Pane (Fixed)	
Code	WCF12
Width	678 mm
Height	1314 mm
Beaded	Yes
Glass →	610 x 1248 mm - Qty = 1

This window is ideal for use with SQ3S & SQ3PS doors and can be used as a front or side window




Classic Window 1 Pane (Sash)	
Code	WCS12
Width	715 mm
Height	1355 mm
Beaded	Yes
Glass →	610 x 1248 mm - Qty = 1

This window is ideal for use with SQ3S & SQ3PS doors and can be used as a front or side window


CLASSIC Toppers

TOUGHENED OR LAMINATE GLASS RECOMMENDED FOR THIS RANGE


*** size and glass dimensions are a guide only and no responsibility is accepted.




2 Pane Classic Top Lite Window	
Code	WCT6
Width	507 mm
Height	1010 mm
Depth	44 mm
Weight	5.8 kg
Glass →	401 x 300 mm - Qty = 1
Glass →	401 x 617 mm - Qty = 1




2 Pane Classic Top Lite Window	
Code	WCT9
Width	715 mm
Height	1100 mm
Depth	44 mm
Weight	6.9 kg
Glass →	610 x 300 mm Qty = 1
Glass →	610 x 617 mm Qty = 1




2 Pane Classic Top Lite Window	
Code	WCT8
Width	507 mm
Height	1420 mm
Depth	44 mm
Weight	6.5 kg
Glass →	401 x 300 mm - Qty = 1
Glass →	401 x 933 mm - Qty = 1



2 Pane Classic Top Lite Window	
Code	WCT12
Width	715 mm
Height	1420 mm
Depth	44 mm
Weight	7.7 kg
Glass →	610 x 300 mm Qty = 1
Glass →	610 x 933 mm Qty = 1



2 Pane Classic Top Lite Window	
Code	WCT10
Width	507 mm
Height	1735 mm
Depth	44 mm
Weight	7.6 kg
Glass →	401 x 300 mm - Qty = 1
Glass →	401 x 1248 mm - Qty = 1



2 Pane Classic Top Lite Window	
Code	WCT15
Width	715 mm
Height	1735 mm
Depth	44 mm
Weight	8.2 kg
Glass →	610 x 300 mm Qty = 1
Glass →	610 x 1248 mm Qty = 1

WEIGHTS APPROXIMATE DUE TO TIMBER DENSITY | GLASS NOT SUPPLIED | DOORS FULLY BEADED

ITEMS MARKED **Sti** (Standard Stock Items) can be despatched within 7 working days.
 ITEMS MARKED **Or** (To Order) can be despatched within 7 - 14 working days.

CLASSIC RANGE - PRICE LIST 2026

CLASSIC FRENCH DOORS & WINDOWS

Product code	Product description	KG	Unit Price £	Qty
WFC1	1 Pane Classic French Door (Pair)	14.4	132.98	
WCF1F	1 Pane Classic French Window	3.5	31.84	
WFC1S	1 Pane Classic French Door (Single)	8.7	76.08	
WCF1S	1 Pane Classic Window (Sash)	4.1	34.46	

CLASSIC DOORS & WINDOWS

SQ2	1 Pane Classic Door (Pair)	15.6	124.76	
SQ2FW	2 Pane Classic Window	2.2	48.84	
SQ2S	1 Pane Classic Door (Single)	9.1	79.40	

CLASSIC (PANEL & BOARDED DOORS)

SQ3	1 Pane Classic Door (Pair)	15.6	124.95	
SQ3P	1 Pane Classic Door - Panel (Pair)	16.6	149.80	
SQ3S	1 Pane Classic Door (Single)	9.1	79.40	
SQ3PS	1 Pane Classic Door - Panel (Single)	9.7	84.73	

CLASSIC WINDOWS

WCF4	Classic Window 1 Pane (Fixed)	2.4	22.63	
WCS4	Classic Window 1 Pane (Sash)	4.1	30.03	
WCFL6	Classic Window 1 Pane - Landscape (Fixed)	2.7	26.81	
WCSL6	Classic Window 1 Pane - Landscape (Sash)	4.8	32.22	
WCF6	Classic Window 6 Pane (Fixed)	2.1	26.09	
WCS6	Classic Window 6 Pane (Sash)	4.1	32.77	
WCF8	1 Pane Classic Window (Fixed)	2.3	27.11	
WCS8	1 Pane Classic Window (Fixed)	4.9	36.55	
WCF9	Classic Window 1 Pane (Sash)	3.6	30.21	
WCS9	Classic Window 1 Pane (Sash)	5.8	39.26	
WCF12	Classic Window 1 Pane (Fixed)	3.8	31.37	
WCS12	Classic Window 1 Pane (Sash)	6.5	44.17	

CLASSIC TOPPERS

WCT6	2 Pane Classic Top Lite Window	5.8	39.67	
WCT9	2 Pane Classic Top Lite Window	6.9	47.39	
WCT8	2 Pane Classic Top Lite Window	6.5	43.64	
WCT12	2 Pane Classic Top Lite Window	7.7	53.01	
WCT10	2 Pane Classic Top Lite Window	7.6	45.87	
WCT15	2 Pane Classic Top Lite Window	8.2	65.28	

WEIGHTS APPROXIMATE DUE TO TIMBER DENSITY | GLASS NOT SUPPLIED | DOORS FULLY BEADED

CLASSIC RANGE - PRICE LIST 2026

Product code	Product description	KG	Unit Price £	Qty
PSX - 3mm PERSPEX BY ICI				
PSXWFC1	Perspex Pack for Classic French Door WFC1		91.04	
PSXWCF1F	Perspex Pack for Windows WCF1F		45.52	
PSXWFC1S	Perspex Pack for French Door WFC1S		65.85	
PSXWCF1S	Perspex Pack for Window WCF1S		65.85	
PSXSQ2	Perspex Pack for Door SQ2		57.87	
PSXSQ2FW	Perspex Pack for Window SQ2FW		91.04	
PSX2C	Perspex Pack for Door SQ2S / Windows WCF9 / WCS9		43.03	
PSXSQ3	Perspex Pack for Doors SQ3 / SQ3P		76.09	
PSXWC12	Perspex Pack for Windows WCF12 / WCS12		54.90	
PSXWC4	Perspex Pack for Windows WCF4 / WCS4		21.43	
PSXWCL6	Perspex Pack for Windows WCFL6 / WCSL6		27.60	
PSXWC6	Perspex Pack for Windows WCF6 / WCS6		39.71	
PSXWCT6	Perspex Pack for Top Lite Window WCT6		39.71	
PSXWCT8	Perspex Pack for Top Lite Window WCT8		53.55	
PSXWCT9	Perspex Pack for Top Lite Window WCT9		43.03	
PSXWCT10	Perspex Pack for Top Lite Window WCT10		45.52	
PSXWCT12	Perspex Pack for Top Lite Window WCT12		54.90	
PSXWCT15	Perspex Pack for Top Lite Window WCT15		65.85	
OPTIONAL				
EXHD	Over Height to Double Doors 1780 - 1980	+7%	18.59	
EXHS	Over Height to Single Doors 1780 - 1980	+4%	16.64	
WDF	Single/Double Door Frame (W: 820 / 1158 x H: 1814 x D: 84 mm)	6	30.79	
WDFC	Single/Double Door Frame + Cill (W: 820 / 1158 x H: 1858 x D: 84 mm)	8	42.64	
D/GWDFC	Single/Double DOUBLE GLAZED Door Frame + Cill With rubber draught seal. Single Door: W: 820 x H: 1858 x D: 84 mm) & Double Door: W: 1158 x H: 1858 x D: 84 mm)	6.5	63.03	
SP	Storm Proof Profile to Fixed Windows	-	2.45	
BSK	Bespoke Extra Width	-	20.01	
DP760	Mitred Door Drip (to suit Door Width 760 mm)		4.40	
DP1100	Mitred Door Drip (to suit Door Width 1100 mm)		5.60	
DP1220	Mitred Door Drip (to suit Door Width 1220 mm)		5.80	
468CL	Cill (to suit Window Width 468 mm)		6.80	
507CL	Cill (to suit Window Width 507 mm)		7.15	
678CL	Cill (to suit Window Width 678 mm)		8.45	
715CL	Cill (to suit Window Width 715 mm)		10.50	

All doors & windows can be finished to 44 mm depth (to take 4-6-4 double glazed units) - P.O.A.

WEIGHTS APPROXIMATE DUE TO TIMBER DENSITY | GLASS NOT SUPPLIED | DOORS FULLY BEADED

T: 01709 584151 | M: 07848 571877 | E: sales@woodcraftrepetitions.co.uk | www.windows4sheds.co.uk